

Liegenschaften Bezirk Schwyz

11. Sep. 2023

Auswertung Energieverbrauch

(Heizgradtagbereinigt)

PN 020

Jahr	EBF m ²	Strom		Wärme		Wasser		Bemerkung
		Total kW	kW / m ²	Total kWh	kWh / m ²	Total m ³	m ³ / m ²	
2012	50'172	881'370	17.57	2'206'998	43.99	5'481	0.11	
2013	50'172	890'040	17.74	2'308'632	46.01	5'384	0.11	SH Chilenmatt: Dachsanierung
2014	50'172	834'825	16.64	2'286'390	45.57	5'349	0.11	
2015	50'172	801'205	15.97	2'340'971	46.66	5'085	0.10	
2016	50'172	827'516	16.49	2'079'838	44.11	5'277	0.11	SH Chilenmatt: Wasserschaden
2017	50'766	829'566	16.34	2'194'620	43.23	5'539	0.11	SH Halti: Auf- + Umbau
2018	50'766	832'092	16.39	2'279'913	44.91	5'134	0.10	SH Chilenmatt zus. Klassenzimmer
2019	49'391	780'193	15.80	2'209'930	44.74	5'491	0.11	SH Halti, Wasserschaden TH Stegweidli, Abbruch
2020	48'574	684'150	14.08	1'997'150	41.12	4'273	0.09	
2021	54'608	789'781	14.46	1'996'610	36.56	4'516	0.08	Inbetriebnahme SSG Allmig
2022	54'608	861'279	15.77	1'980'656	36.27	4'935	0.09	Sanierung SH Bifang
Differenz Vorjahr		71'498	8.3%	-15'954	-0.8%	419	8.5%	
Jahresmittel		819'274		2'171'064		5'133		

